



Anthelmintics available for dogs in the UK 2015

Table summarising information from the 2015 Compendium of Data Sheets for Animal Medicines published by the National Office of Animal Health (NOAH) and the Veterinary Medicines Directorate (VMD) product data base.
Please refer to current data sheets for complete information and any updates since the publication of this table. www.noah.com and www.vmd.defra.gov.uk

| Trade name | Active Ingredient | Dose-rate (minimum) | Formulation | Spectrum of activity | | | | Minimum age & Weight | Use in pregnancy | Legal Category | |
|-----------------------|---|-----------------------------------|------------------------------------|------------------------|--------------|---|---------------|---|-------------------------|-------------------------------|---------------|
| | | | | Gastrointestinal worms | | Heartworms, lungworms, eyeworms & protozoa | Ectoparasites | | | | Preventatives |
| | | | | Nematodes | Cestodes | | | | | | |
| Advocate | Moxidectin Imidacloprid | 2.5 mg/kg 10 mg/kg | Spot on | Tc, Ac, Us, Tl, Tv | | <i>Angiostrongylus vasorum</i> & <i>Crenosoma vulpis</i> * | Y* | <i>Dirofilaria immitis</i> , <i>Dirofilaria repens</i> , <i>Angiostrongylus vasorum</i> & <i>Spirocerca lupi</i> | 7 weeks 1 kg | V | POM-V |
| Cazitel Plus | Pyrantel Febantel Praziquantel | 5 mg/kg 15 mg/kg 5 mg/kg | Flavoured Tablet | Tc, Tl, Us, Ac, Tv | Ta, Di, E | | | | NS | V** (not in first 4 weeks) | NFA-VPS |
| Cestem | Pyrantel Febantel Praziquantel | 5 mg/kg 15 mg/kg 5 mg/kg | Flavoured Tablet | Tc, Tl, Us, Ac, Tv | Ta, Di, E | | | | NS 3 kg | V** (not in first 4 weeks) | NFA-VPS |
| Dolpac | Oxantel Pyrantel Praziquantel | 20 mg/kg 5 mg/kg 5 mg/kg | Tablet | Tc, Tl, Us, Ac, Tv | Ta, Di, E | | | | 2 months 1 kg | N | NFA-VPS |
| Droncit | Praziquantel | 5 mg/kg | Tablet | | Ta, Di, E | | | | After weaning 2.5 kg | Y | AVM-GSL |
| Drontal (puppies) | Pyrantel embonate Febantel | 14.4 mg/kg 15 mg/kg | Suspension | Tc, Tl, Us, Ac, Tv | | | | | 2 weeks 0.6 kg | N | NFA-VPS |
| Drontal Plus | Pyrantel embonate Febantel Praziquantel | 14.4 mg/kg 15 mg/kg 5 mg/kg | Flavoured Tablet | Tc, Tl, Us, Ac, Tv | Ta, Di, E | | | | NS 3 kg | V | NFA-VPS |
| | | | Flavoured Bone Shaped Tablet | | | | | | | | |
| Endogard Flavour Plus | Praziquantel Pyrantel Febantel | 5mg/kg 14.4mg/kg 15mg/kg | Flavoured Tablet | Tc, Tl, Us, Ac | Ta, Di | | | | 2 weeks 2 kg | V | NFA-VPS |
| Endogard Plus XL | Praziquantel Pyrantel Febantel | 5mg/kg 14.4mg/kg 15mg/kg | Tablet | Tc, Tl, Us, Ac | Ta, Di | | | | NS 17.5 kg | V | NFA-VPS |
| Granofen | Fenbendazole | 100 mg/kg* | Granules | Tc, Tl, Us, Ac, Tv | Ta | <i>Oslerus (Filaroides) osleri</i> * | | | NS NS | Y | NFA-VPS |
| Milbemax | Milbemycin oxime Praziquantel | 0.5 mg/kg 5 mg/kg | Chewable Tablet | Tc, Tl, Ac, Tv | Di, Ta, E, M | <i>Crenosoma vulpis</i> , <i>Angiostrongylus vasorum</i> * & <i>Thelazia callipaeda</i> | | <i>Dirofilaria immitis</i> | NS 1 kg | Y | POM-V |
| | | | Tablet | | | | | | 2 weeks 0.5 kg | | |
| Milpro | Milbemycin oxime Praziquantel | 0.5 mg/kg 5 mg/kg | Flavoured tablet | Tc, Ac, Tv | Di, Ta, E, M | <i>Crenosoma vulpis</i> & <i>Angiostrongylus vasorum</i> * | | <i>Dirofilaria immitis</i> | 2 weeks 0.5 kg | V | POM-V |
| Panacur | Fenbendazole | 100 mg/kg* | Granules | Tc, Tl, Us, Ac, Tv | Ta | <i>Oslerus (Filaroides) osleri</i> * | | | NS 250g | Y | NFA-VPS |



Anthelmintics available for dogs in the UK 2015 continued...

| Trade name | Active Ingredient | Dose-rate (minimum) | Formulation | Spectrum of activity | | | | | Minimum age & Weight | Use in pregnancy | Legal Category |
|--------------------|---|-----------------------------------|---------------------|------------------------|--------------|---|---------------|---|----------------------|-----------------------------|----------------|
| | | | | Gastrointestinal worms | | Heartworms & lungworms | Ectoparasites | Preventatives | | | |
| | | | | Nematodes | Cestodes | | | | | | |
| | | | Suspension | | | <i>Giardia</i> spp. | | | NS | Y | NFA-VPS |
| | | | Paste | | | | | | NS | N* | NFA-VPS |
| Piperazine Citrate | Piperazine citrate | 200 mg/kg | Tablet | Y (none specified) | | | | | 2 weeks 1.25 kg | NS | AVM-GSL |
| Prazitel Plus | Pyrantel embonate Febantel Praziquantel | 14.4 mg/kg 15 mg/kg 5 mg/kg | Flavoured Tablet | Tc, TI, Us, Ac, Tv | Ta, E | | | | NS | V** Not in first 4 weeks | NFA-VPS |
| Prinovox | Moxidectin Imidacloprid | 2.5 mg/kg 10 mg/kg | Spot on | Tc, TI, Us, Ac, Tv | | <i>Dirofilaria immitis</i> , <i>Angiostrongylus vasorum</i> & <i>Crenosoma vulpis</i> | Y* | <i>Dirofilaria immitis</i> , <i>Dirofilaria repens</i> , <i>Angiostrongylus vasorum</i> & <i>Spirocerca lupi</i> | 7 weeks NS | V | POM-V |
| Program Plus | Milbemycin oxime Lufenuron | 0.5 mg/kg 10 mg/kg | Tablet | Tc, Ac, Tv | | | Y* | <i>Dirofilaria immitis</i> | 2 weeks 1 kg | NS | POM-V |
| Stronghold | Selamectin | 6 mg/kg | Spot on | Tc | | | Y* | <i>Dirofilaria immitis</i> | 6 weeks NS | Y | POM-V |
| Trifexis | Spinosad Milbemycin oxime | 45 mg/kg 0.75 mg/kg | Chewable Tablet | Tc, TI, Ac, Tv | | | Y* | <i>Dirofilaria immitis</i> | 14 weeks 3.9 kg | V* | POM-V |
| Troscan | Nitroscanate | 50 mg/kg | Tablet | Tc, TI, Us, Ac | Ta, Di, (E) | | | | NS | Y | AVM-GSL |
| Veloxa | Pyrantel embonate Febantel Praziquantel | 14.4 mg/kg 15 mg/kg 5 mg/kg | Chewable tablet | Tc, TI, Us, Ac, Tv | Ta, Di, E, M | | | | NS | V (not in first 4 weeks) | NFA-VPS |

Y: yes; N: no; NS: not stated; V: veterinary judgement; Ta: *Taenia* spp.; Di: *Dipylidium caninum*; E: *Echinococcus* species; Tv: *Trichuris vulpis*; M: *Mesocestoides*;

Tc: *Toxocara canis*; TI: *Toxascaris leonina*; Us: *Uncinaria stenocephala*; Ac: *Ancylostoma caninum*

* see data sheet for more detail ** with restrictions, see datasheet for more detail



Anthelmintics available for cats in the UK 2015

Table summarising information from the 2015 Compendium of Data Sheets for Animal Medicines published by the National Office of Animal Health (NOAH) and the Veterinary Medicines Directorate (VMD) product data base. Please refer to current data sheets for complete information and any updates since the publication of this table. www.noah.com and www.vmd.defra.gov.uk

| Trade name | Active Ingredient | Dose-rate (minimum) | Formulation | Spectrum of activity | | | | | Minimum age & Weight | Use in pregnancy | Legal Category |
|--------------------|--|---|---------------------|--|--------------|-------------------------------------|---------------|------------------------------|---------------------------|------------------|----------------|
| | | | | Gastrointestinal worms | | Lungworms | Ectoparasites | Preventatives | | | |
| | | | | Nematodes | Cestodes | | | | | | |
| Advocate | Moxidectin Imidacloprid | 1 mg/kg 10 mg/kg | Spot on | Tc, At | | | Y* | <i>Dirofilaria immitis</i> | 9 weeks 1kg | V | POM-V |
| Broadline** | Fipronil S-methoprene, Eprinomectin, Praziquantel | 10 mg/kg 12 mg/kg 0.5 mg/kg 10 mg/kg | Spot on | Tc, Tl, At, Ab, <i>Capillaria plica</i> | Ta, Dc, Em | | Y | <i>Dirofilaria immitis</i> | 7 weeks 0.8 kg | V | POM-V |
| Cazitel | Pyrantel Praziquantel | 20 mg/kg 5 mg/kg | Flavoured Tablet | Tc, Tl | Ta, Di, E | | | | 6 weeks | N | NFA-VPS |
| Droncit | Praziquantel | 5 mg/kg | Tablet | | Ta, Di, Em | | | | After weaning NS | Y | AVM-GSL |
| | | 8 mg/kg | Spot on | | | | | | NS 1kg | Y | AVM-GSL |
| Drontal Cat | Pyrantel embonate Praziquantel | 57.5 mg/kg 5 mg/kg | Tablet | Tc, Tl, (At) | Ta, Di, (Em) | | | | 6 weeks NS | N | NFA-VPS |
| Granofen | Fenbendazole | 100 mg/kg* | Granules | Tc, Tl, At, Us | Ta | <i>Aelurostrongylus abstrusus</i> * | | | After weaning NS | Y | NFA-VPS |
| Milbemax | Milbemycin oxime Praziquantel | 2 mg/kg 5 mg/kg | Flavoured Tablet | Tc, At | Ta, Di, Em | | | <i>Dirofilaria immitis</i> | 6 weeks 0.5kg | Y | POM-V |
| Milpro | Milbemycin oxime Praziquantel | 2 mg/kg 5 mg/kg | Flavoured Tablet | Tc, At | Ta, Di | | | <i>Dirofilaria immitis</i> | 6 weeks 0.5kg | V | POM-V |
| Panacur | Fenbendazole | 100 mg/kg* | Granules | | | | | | After weaning 2kg/4kg* | Y | NFA-VPS |
| | | | Suspension | Tc, Tl, At, Us | Ta | <i>Aelurostrongylus abstrusus</i> * | | | NS | Y | NFA-VPS |
| | | | Paste | | | | | NS | Y | NFA-VPS | |
| Piperazine citrate | Piperazine citrate | 200 mg/kg | Tablet | Y (non-specified) | | | | | 2 weeks 1.25kg | NS | AVM-GSL |
| Prazitel | Pyrantel embonate Praziquantel | 57.5 mg/kg 5 mg/kg | Flavoured tablet | Tc, Tl | Ta, Di, Em | | | | 6 weeks | N | NFA-VPS |
| Prinovox | Moxidectin Imidacloprid | 1.0 mg/kg 10 mg/kg | Spot on | Tc, At, | | | Y* | <i>Dirofilaria immitis</i> , | 9 weeks 1 kg | V | POM-V |
| Profender | Emodepside Praziquantel | 3 mg/kg 12 mg/kg | Spot on | Tc, Tl, At | Ta, Di, Em | | | | 8 weeks 0.5kg | Y | POM-V |
| Stronghold | Selamectin | 6 mg/kg | Spot on | Tc, At | | | Y* | <i>Dirofilaria immitis</i> | 6 weeks NS | Y | POM-V |



Anthelmintics available for cats in the UK 2015

Table summarising information from the 2015 Compendium of Data Sheets for Animal Medicines published by the National Office of Animal Health (NOAH) and the Veterinary Medicines Directorate (VMD) product data base.
Please refer to current data sheets for complete information and any updates since the publication of this table. www.noah.com and www.vmd.defra.gov.uk

Y: yes; N: no; NS: not stated; V: veterinary judgement; Ta: *Taenia* spp.; Di: *Dipylidium caninum*; Em: *Echinococcus multilocularis* (not endemic in the UK);

Tc: *Toxocara cati*; At: *Ancylostoma tubeforme*; TI: *Toxascaris leonina*; U: *Uncinaria* spp.

* see data sheet for more details

** with restrictions, see datasheet for more detail
() indicated in further information



Ectoparasiticides available for dogs in the UK 2015

Table summarising information from the 2015 Compendium of Data Sheets for Animal Medicines published by the National Office of Animal Health and the Veterinary Medicines Directorate (VMD) product data base.

Please refer to current data sheets for complete information and any updates since the publication of this table. www.noah.com and www.vmd.defra.gov.uk

| Trade name | Active ingredient | Dose-rate (minimum) * | Formulation | Spectrum of activity | | | | | | Part treatment for FAD | Flea larvicidal in environment | Worms | Minimum age & weight | Use in pregnancy | Legal Category |
|-------------------|------------------------------------|---------------------------------|--------------------------|----------------------|-------|----|----|-------------|--|------------------------|--------------------------------|---|----------------------|------------------|----------------|
| | | | | Fleas | Ticks | Tc | Oc | Mange mites | Flies | | | | | | |
| Activyl | Indoxacarb | 15mg/kg | Spot on | Y | | | | | | Y | Y | | 8 weeks 1.5 kg | N | POM-V |
| Activyl Tick Plus | Indoxacarb Permethrin | 15 mg/kg 48 mg/kg | Spot on | Y | Y | | | | | Y | Y | | 8 weeks 1.2 kg | V | POM-V |
| Advantage | Imidacloprid | 10 mg/kg | Spot on | Y | | Y | | | | Y | | | 8 weeks NS | V | NFA-VPS |
| Advantix | Imidacloprid Permethrin | 10 mg/kg 50 mg/kg | Spot on | Y | Y | Y | | | Sand flies, Mosquitoes, Stable flies * | Y | | | 7 weeks 1.5 kg | Y | POM-V |
| Advocate | Imidacloprid Moxidectin | 10 mg/kg 2.5 mg/kg | Spot on | Y | | Y | Y | Dm, Sm | | Y | | GI nematodes*, heartworms*, lungworms* & <i>Dirofilaria repens</i> | 7 weeks 1 kg | V | POM-V |
| Aludex | Amitraz | 0.05% Dm 0.025% Sm | Emulsifiable concentrate | | | | | Dm, Sm | | | | | 3 months NS | N | POM-V |
| Bravecto | Fluralaner | 25 – 56 mg/kg | Chewable tablet | Y | Y | | | | | Y | | | 8 weeks 2 kg | Y | POM-V |
| Capstar | Nitenpyram | 1 mg/kg | Tablet | Y | | | | | | | | | 4 weeks 1 kg | Y | AVM-GSL |
| Certifect | Fipronil (S)-Methoprene Amitraz | 6.7 mg/kg 6 mg/kg 8 mg/kg | Spot on | Y | Y | Y | | | | Y | Y | | 8 weeks 2 kg | Y | POM-V |
| Comfortis | Spinosad | 45 mg/kg | Chewable Tablet | Y | | | | | | Y | | | 14 weeks 1.3 kg | V | POM-V |
| Effipro | Fipronil | 6.7 mg/kg | Spot on | Y | Y | | | | | Y | | | 2 months 2 kg | V | NFA-VPS |
| | | 7.5 mg/kg | Spray | Y | Y | Y | | | | Y | | | 2 days NS | V | POM-V |
| Eliminall | Fipronil | NS | Spot on | Y | Y | Y | | | | Y | | | 2 months 2 kg | V | NFA-VPS |
| | | 7.5 mg/kg | Spray | Y | Y | Y | | | | Y | | | 2 days NS | NS | POM-V |
| Fipnil | Fipronil | NS | Spot on | Y | Y* | | | | | Y | | | 2 months 2 kg | V | NFA-VPS |
| Fiprospot | Fipronil | 6.7 mg/kg | Spot on | Y | Y | | | | | Y | | | 2 months 2 kg | V | NFA-VPS |
| Flevox | Fipronil | 6.7 mg/kg | Spot on | Y | Y | Y | | | | Y | | | 2 months 2 kg | V | NFA-VPS |



Ectoparasiticides available for dogs in the UK 2015 continued...

| | | | | | | | | | | | | | | |
|--------------------|---|---|-----------------|-----|---|---|---|--|------|---|---|--------------------|----|---------|
| Frontline | Fipronil | 7.5 mg/kg | Spot on | Y | Y | Y | | | Y | | | 8 weeks 2 kg | Y | NFA-VPS |
| | | 7.5 mg/kg | Spray | | | | | | | | | 2 days NS | NS | POM-V |
| Frontline Combo | Fipronil (S)-Methoprene | 6.7 mg/kg 6 mg/kg | Spot on | Y | Y | Y | | | Y | Y | | 8 weeks 2 kg | Y | POM-V |
| Nexguard | Afoxolaner | 2.7 mg/kg | Tablet | Y | Y | | | | Y | | | 8 weeks NS | NS | POM-V |
| Prac-tic | Pyriprole | 12.5 mg/kg | Spot on | Y | Y | | | | Y | | | 8 weeks 2 kg | V | POM-V |
| Program | Lufenuron | 10 mg/kg | Tablet | Y** | | | | | Y*** | Y | | Weaned NS | Y | AVM-GSL |
| Program Plus | Milbemycin oxime Lufenuron | 0.5 mg/kg 10 mg/kg | Tablet | Y** | | | | | | Y | GI nematodes*, <i>Dirofilaria immitis</i> | 2 weeks 1kg | NS | POM-V |
| Scalibor | Deltamethrin | 1gram | Collar | | Y | | | Sand flies, Mosquitoes (antifeeding) | | | | 7 weeks NS | Y | NFA-VPS |
| Seresto | Imidacloptid Flumethrin | 1.25 gram / 4.5 0.56 gram / 2.03 | Collar | Y | Y | Y | | | Y | Y | | 7 weeks NS | Y | POM-V |
| Stronghold | Selamectin | 6 mg/kg | Spot on | Y | | Y | Y | Sm | Y | Y | <i>Dirofilaria immitis</i> , <i>Toxocara canis</i> | 6 weeks NS | Y | POM-V |
| Trifexis | Spinosad Milbemycin oxime | 45 mg/kg 0.75 mg/kg | Chewable Tablet | Y | | | | | Y | | GI nematodes* | 14 weeks 3.9 kg | V* | POM-V |
| Vectra 3D | Permethrin Pyriproxyfen Dinonitefuran | 46.6 mg/kg 0.6 mg/kg 6.4 mg/kg | Spot on | Y | Y | | | Sand flies Mosquitoes Stable flies (antifeeding) * | Y | | | 7 weeks 1.5 kg | NS | POM-V |

Y: yes; N: no; NS: not stated; V: veterinary judgement; Dm: Demodectic mange; Sm: Sarcoptic mange; Oc: *Otodectes cynotis* (ear mites); Tc: *Trichodectes canis* (biting lice); FAD: Flea Allergy Dermatitis

* see data sheet for more details

** Prevention of fleas not adulticidal

*** Full treatment of FAD



Ectoparasiticides available for cats in the UK 2015

Table summarising information from the 2015 Compendium of Data Sheets for Animal Medicines published by the National Office of Animal Health and the Veterinary Medicines Directorate (VMD) product data base.

Please refer to current data sheets for complete information and any updates since the publication of this table. www.noah.com and www.vmd.defra.gov.uk

| Trade name | Active ingredient | Dose-rate (minimum) * | Formulation | Spectrum of activity | | | | Part treatment for FAD | Flea larvicidal in environment | Worms | Minimum age & weight | Use in pregnancy | Legal category |
|-----------------|--|---|--------------------|----------------------|-------|----|----|------------------------|--------------------------------|---|----------------------|------------------|----------------|
| | | | | Fleas | Ticks | Fs | Oc | | | | | | |
| Activyl | Indoxacarb | 25 mg/kg | Spot on | Y | | | | Y | Y | | 8 weeks 0.6 kg | N | POM-V |
| Advantage | Imidacloprid | 10 mg/kg | Spot on | Y | | | | Y | | | 8 weeks NS | V | NFA-VPS |
| Advocate | Imidacloprid Moxidectin | 10 mg/kg 1 mg/kg | Spot on | Y | | | Y | Y | | GI nematodes* & Heartworms* | 9 weeks 1kg | V | POM-V |
| Broadline | Fipronil S-methoprene, Eprinomectin, Praziquantel | 10 mg/kg 12 mg/kg 0.5 mg/kg 10 mg/kg | Spot on | Y | Y | | | Y | | GI nematodes, cestodes and heartworms | 0.6 kg 7 weeks | V | POM-V |
| Capstar | Nitenpyram | 1 mg/kg | Tablet | Y | | | | | | | 4 weeks 1kg | Y | AVM-GSL |
| Comfortis | Spinosad | 50 mg/kg | Chewable Tablet | Y | | | | Y | | | 14 weeks 1.2 kg | V | POM-V |
| Effipro | Fipronil | 5 mg/kg | Spot on | Y | Y | | | | | | 2 months 1kg | V | NFA-VPS |
| | | 7.5 mg/kg | Spray | Y | Y | Y | | Y | | | 2 days NS | V | POM-V |
| Eliminall | Fipronil | NS | Spot on | Y | Y | | | Y | | | 2 months 1kg | V | NFA-VPS |
| | | 7.5 mg/kg | Spray | Y | Y | Y | | Y | | | 2 days NS | NS | POM-V |
| Fipnil | Fipronil | NS | Spot on | Y | Y* | | | Y | | | 2 months 1kg | V | NFA-VPS |
| Fiprosport | Fipronil | 5 mg/kg | Spot on | Y | Y* | | | Y | | | 8 weeks 1kg | V | NFA-VPS |
| Flevox | Fipronil | 5 mg/kg | Spot on | Y | Y | | | | Y | | 8 weeks 1kg | V | NFA-VPS |
| Frontline | Fipronil | 7.5 mg/kg | Spot on | | Y | Y | | Y | | | 8 weeks 1kg | Y | NFA-VPS |
| | | 7.5 mg/kg | Spray | Y | Y | Y | | | | | 2 days NS | NS | POM-V |
| Frontline Combo | Fipronil (S)-Methoprene | 5 mg/kg 6 mg/kg | Spot on | Y | Y | Y | | Y | Y | | 8 weeks 1kg | Y | POM-V |
| Program | Lufenuron | 10 mg/kg | Injection | | | | | | | | Weaned NS | Y | POM-V |
| | | 30 mg/kg | Oral suspension | Y** | | | | Y*** | Y | | | | |
| Seresto | Imidacloprid Flumethrin | 1.25 gram 0.56 gram | Collar | Y | Y | | | Y | Y | | 10 weeks NS | N | POM-V |
| Stronghold | Selamectin | 6 mg/kg | Spot on | Y | | Y | Y | Y | Y | GI nematodes* & <i>Dirofilaria immitis</i> | 6 weeks NS | Y | POM-V |

Y: yes; N: no; NS: not stated; V: veterinary judgement; Oc: *Otodectes cynotis* (ear mites); Fs: *Felicola subrostratus* (biting lice); FAD: Flea Allergy Dermatitis

* see data sheet for more details

** Prevention of fleas not aduldicial

*** Full treatment of FAD

Table updated: 27th November 2013